### **SAFETY DATA SHEET**

# **Nordkalk**

# Nordkalk Terra GTC

**Nordkalk** 

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

# SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 27.03.2013

 Revision date
 7.11.2024

#### 1.1. Product identifier

Product name Nordkalk Terra GTC

UFI Code: H300-Y066-Q00P-G43Y

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Soil stabilisation

Main intended use PC-TEC-OTH Other products for chemical or technical processes

# 1.3. Details of the supplier of the safety data sheet

Company name Nordkalk Oy Ab

Postal address Skräbbölevägen 18

Postcode FI-21600
City Pargas
Country Finland

Telephone number +358 20 753 7000

Email sds@nordkalk.com

Website www.nordkalk.com

### 1.4. Emergency telephone number

**Emergency telephone** Telephone number: 112

Description: Emergency telephone number (in Finland)

Open 24 hours a day.

Telephone number: +358 800 147 111 or +358 9 471 977

Description: Poison Information Centre (in Finland), P.O. Box 790 (Tukholmankatu

17), 00029 HUS

Open 24 hours a day.

**Identification, comments** Please contact the Emergency Centre in your own country, e.g. 112 in European

Union countries.

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

[CLP / GHS]

Eye Dam. 1; H318

STOT SE 3; H335

#### 2.2. Label elements

# **Hazard pictograms (CLP)**





Composition on the label Calcium dihydroxide, Portland cement

Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

**Precautionary statements** P102 Keep out of reach of children.

P261 Avoid breathing dust/spray.

P280 Wear protective gloves / protective clothing / eye protection / face

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor / physician.

P501 Dispose of contents / container in accordance with local regulation.

# 2.3. Other hazards

PBT / vPvB The Annex XIII of the REACH Regulation No. 1907/2006 is not applicable to

inorganic substances.

Other hazards This product does not contain any substances considered to be endocrine

disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Calcium dihydroxide	CAS No.: 1305-62-0 EC No.: 215-137-3 REACH Reg. No.: 01-2119475151-45-XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	30 - 40 %	
Calcium sulfate	CAS No.: 7778-18-9 EC No.: 231-900-3 REACH Reg. No.: 01-2119444918-26-XXXX	CLP classification, notes: Not classified.	30 - 40 %	
Portland cement	CAS No.: 65997-15-1 EC No.: 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	20 - 30 %	

**Substance comments** The full text for all hazard statements are displayed in point 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General If the situation is unclear or symptoms persist, seek medical attention. Inhalation Move exposed person immediately to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician. Skin contact Dry product: Brush away dust from the skin with a dry brush. Rinse the skin immediately with plenty of water. Wet product: Wash contaminated skin with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or other symptoms persist, seek medical attention. Eye contact Immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Remove contact lenses, if present and easy to do, and continue rinsing. Get medical advice/attention. Ingestion Do not induce vomiting. Rinse the mouth and give 1-2 glasses of water to drink. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects Causes skin irritation. May irritate airways. Risk of serious eye damage.

**Delayed symptoms and effects** None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other information Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media Dry chemical, carbon dioxide or foam. Use an extinguishing agent suitable for the

surrounding fire.

**Improper extinguishing media** Do not use water to extinguish fire.

# 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

The product is non-combustible. Reacts with water by releasing heat (exothermic

reaction).

Hazardous combustion products No hazardous combustion products known.

#### 5.3. Advice for firefighters

**Personal protective equipment** Wear appropriate protective equipment and self-contained breathing apparatus.

Other information Avoid dust formation.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures Ensure adequate ventilation. Keep unnecessary and unprotected people from

entering. Avoid generation and spreading of dust. Stop leak if safe to do so. Avoid

humidification.

Personal protection measures Wear appropriate personal protective equipment. Avoid contact with skin or eyes.

Avoid breathing dust.

### 6.2. Environmental precautions

**Environmental precautionary** 

measures

Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Keep the product dry. Avoid release into drains, sewers or waterways. In case of

environmental contamination, inform local authorities.

# 6.3. Methods and material for containment and cleaning up

**Containment** Avoid generation and spreading of dust. Pick up solid product mechanically.

Store in a dry place.

Clean up Collect product with a vacuum cleaner or sweep it up. Keep the material dry.

# 6.4. Reference to other sections

Other instructions Safe handling: see point 7.

Personal protective equipment: see point 8.

Waste disposal: see point 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Handling** Avoid contact with skin or eyes. Avoid breathing dust. Wear appropriate personal

protective equipment. Avoid generating excess dust. Ensure adequate ventilation (use process enclosures or local exhaust ventilation if necessary). Do not wear contact lenses when handling this product. Eyewash facilities must be available

when handling this product.

# **Protective safety measures**

Preventitive measures to prevent aerosol and dust generation

Prevent formation of dust.

Advice on general occupational

hygiene

Handle in accordance with good industrial hygiene and safety practices. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash hands and exposed skin areas before breaks and at the end of workday. Take off contaminated clothing immediately

and wash before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Store in a dry place. Keep out of reach of children.

Conditions to avoid Keep away from moisture and water. Do not allow contact with air.

For incompatible materials see point 10.5.

# Conditions for safe storage

Technical measures and storage

conditions

Store in a dry, well-ventilated area.

Packaging compatibilities Unsuitable packaging materials and coatings: Aluminium.

7.3. Specific end use(s)

**Specific use(s)** See the identified uses in table 1 of the Appendix of this SDS.

# SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Calcium dihydroxide	CAS No.: 1305-62-0	Country of origin: United	
		Kingdom	
		Limit value (8 h) : 5 mg/m³	
		Country of origin: United	
		Kingdom	
		Limit value (8 h) : 1 mg/m³	
		Limit value (short term)	
		Value: 4 mg/m³	

Comments: Respirable

fraction

Country of origin: European

Union

Limit value (8 h): 5 mg/m<sup>3</sup> Source: Directive 91/322/

**EEC** 

Comments: IOELV

Country of origin: European

Union

Limit value (8 h): 1 mg/m³
Limit value (short term)

Value: 4 mg/m³ Source: Directive (EU)

2017/164

Comments: IOELV

Particle fraction: Respirable Country of origin: Finland Limit value (8 h): 1 mg/m³ **Limit value (short term)** 

Value: 4 mg/m<sup>3</sup>

Portland cement CAS No.: 65997-15-1

Country of origin: United

Kingdom

Limit value (8 h) : 10 mg/m³ Particle fraction: Inhalable Country of origin: United

Kingdom

Limit value (8 h): 4 mg/m³
Particle fraction: Respirable
Country of origin: Finland
Limit value (8 h): 5 mg/m³
Comments: Cement dust
Particle fraction: Inhalable
Country of origin: Finland
Limit value (8 h): 1 mg/m³
Comments: Cement dust
Particle fraction: Respirable

Dust

Country of origin: United

Kingdom

Limit value type: TWA Limit value (8 h): 4 mg/m³ Particle fraction: Respirable Country of origin: United

Kingdom

Limit value type: TWA Limit value (8 h): 10 mg/m³ Particle fraction: Inhalable

#### **DNEL / PNEC**

Substance Calcium dihydroxide

**DNEL** Group: Professional

Route of exposure: Acute inhalation (local)

Value: 4 mg/m<sup>3</sup>

Comments: respirable dust

**Group:** Professional

Route of exposure: Long-term inhalation (local)

Value: 1 mg/m<sup>3</sup>

Comments: respirable dust

**Group:** Consumer

Route of exposure: Acute inhalation (local)

Value: 4 mg/m<sup>3</sup>

Comments: respirable dust

Group: Consumer

Route of exposure: Long-term inhalation (local)

Value: 1 mg/m<sup>3</sup>

Comments: respirable dust

PNEC Route of exposure: Freshwater

Value: 0,49 mg/l

Route of exposure: Saltwater

Value: 0,32 mg/l

Route of exposure: Sewage treatment plant STP

Value: 3 mg/l

Route of exposure: Soil Value: 1080 mg/kg

Substance Calcium sulfate

**DNEL** Group: Professional

Route of exposure: Acute inhalation (systemic)

Value: 5082 mg/m<sup>3</sup>

**Group:** Professional

Route of exposure: Long-term inhalation (systemic)

Value: 21,17 mg/m<sup>3</sup>

**Group:** Consumer

Route of exposure: Acute inhalation (systemic)

Value: 3811 mg/m<sup>3</sup>

**Group:** Consumer

Route of exposure: Long-term inhalation (systemic)

Value: 5,29 mg/m<sup>3</sup>

**Group:** Consumer

Route of exposure: Acute oral (systemic)

Value: 11,4 mg/kg bw/day

Group: Consumer

Route of exposure: Long-term oral (systemic)

Value: 1,52 mg/kg bw/day

PNEC Route of exposure: Sewage treatment plant STP

Value: 100 mg/l

#### 8.2. Exposure controls

#### Precautionary measures to prevent exposure

Technical measures to prevent

exposure

Handle the product in closed systems or provide sufficient ventilation. Use local exhaust ventilation if necessary. Emergency eyewash equipment must be

available at workplace.

Eye / face protection

Suitable eye protection Use tight-fitting safety goggles. (EN 166:2001)

**Eye protection, comments**Do not wear contact lenses when handling this product. It is advisable to have

individual pocket eyewash. Appropriate for alkali chemicals.

**Hand protection** 

Suitable gloves type Use appropriate chemical-resistant, impervious gloves. (EN ISO 374-1:2018, type

A or B)

Suitable materials Nitrile rubber.

Skin protection

Suitable protective clothing Wear appropriate chemical-resistant, impervious protective clothing. Wear

appropriate protective footwear.

Additional skin protection

measures

 $\label{problem} \mbox{Avoid prolonged or repeated contact with skin. Wash contaminated skin after}$ 

exposure. Remove contaminated clothing and shoes and wash/clean them

before reuse.

**Respiratory protection** 

Respiratory protection necessary

at

If it is not possible to reduce exposure levels to below exposure limit values by

ventilation, use appropriate respirator.

Recommended type of equipment Particle filter mask. (FFP1/FFP2/FFP3)

**Respiratory protection, comments** See the relevant exposure scenario in the Appendix.

Thermal hazards

Thermal hazards Not relevant.

# Appropriate environmental exposure control

Environmental exposure controls Prevent entry into sewers or the environment. All ventilation systems should be

filtered before discharge to atmosphere.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid. Powder.

ColourWhite. Light brown. Beige.OdourOdourless or mild odor.

Odour limit Comments: Not determined.

**pH** Status: In aqueous solution

Value: 12 - 13

Comments: Wet product

Melting point / melting range Value: > 450 °C

Method: EU A.1

Comments: Calcium dihydroxide

Boiling point / boiling range Comments: Not applicable.

Flash point Comments: Not applicable.

Flammability Not flammable.

Explosion limitComments: Not applicable.Vapour pressureComments: Not applicable.Vapour densityComments: Not applicable.Particle characteristicsComments: Not determined.DensityValue: 700 - 1300 kg/m³

Temperature: 20 °C

Solubility Medium: Water

Value: 1844,9 mg/l Method: EU A.6

Comments: Calcium dihydroxide

Medium: Water

Comments: Portland cement: Partially soluble.

Medium: Water Value: ~ 2 g/l

Comments: Calcium sulfate

Temperature: 20 °C

Partition coefficient: n-octanol/

water

Comments: Not applicable.

**Auto-ignition temperature** Comments: Not self-igniting.

**Decomposition temperature** Value: > 450 °C

Comments: Calcium dihydroxide

Viscosity Comments: Not applicable.

#### 9.2. Other information

# 9.2.2. Other safety characteristics

**Comments** None reported.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Reactivity Calcium dihydroxide: Dissociates in aqueous media. Reacts with carbon dioxide

to form calcium carbonate, which is a common material in nature. When heated above 450 °C, calcium dihydroxide decomposes to produce calcium oxide and

water.

# 10.2. Chemical stability

**Stability** Chemically stable under normal storage conditions.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Reacts exothermically with acids (releasing heat).

Reacts with water by releasing heat (exothermic reaction).

### 10.4. Conditions to avoid

Conditions to avoid Do not allow contact with air. Protect from moisture. Do not store in damp

conditions or areas of high humidity.

### 10.5. Incompatible materials

Materials to avoid Acids. Water. Carbon dioxide (CO<sub>2</sub>). Ammonium salts.

Aluminium. Brass. In the presence of moisture produces hydrogen which may

cause risk of explosion.

### 10.6. Hazardous decomposition products

Hazardous decomposition

products

No hazardous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Substance** Calcium dihydroxide

Acute toxicity Effect tested: LD50

Route of exposure: Oral Method: OECD 425 Value: > 2000 mg/kg bw Animal test species: Rat

Effect tested: LD50

Route of exposure: Dermal

Method: OECD 402

Value: > 2500 mg/kg bw Animal test species: Rabbit

Substance Calcium sulfate

Acute toxicity Effect tested: LD50

Route of exposure: Oral Method: OECD 420 Value: > 1581 mg/kg bw Animal test species: Rat

Effect tested: LC50

Route of exposure: Inhalation.

Method: OECD 403 Value: > 2,61 mg/l Animal test species: Rat

Substance Portland cement

Acute toxicity Effect tested: LD0

Route of exposure: Dermal Method: Limit value test Duration: 24 hour(s) Value: 2000 mg/kg

**Animal test species:** Rabbit **Comments:** No mortality.

Other toxicological data

The product is not classified as acutely toxic.

# Other information regarding health hazards

**Substance** Calcium dihydroxide

Skin corrosion / irritation test

result

Toxicity type: Skin irritation

Method: In vivo Species: Rabbit

**Evaluation result:** Irritating.

Toxicity type: Skin corrosion

Method: In vitro OECD 431

Evaluation result: Not corrosive.

Substance Calcium sulfate

Skin corrosion / irritation test

result

Method: OECD 404 Species: Rabbit

**Evaluation result:** Not irritating.

Assessment of skin corrosion /

irritation, classification

Causes skin irritation.

Substance Calcium dihydroxide

Eye damage or irritation, test

results

Toxicity type: Eye damage

Method: In vivo Species: Rabbit

**Evaluation result:** Causes serious eye damage

Substance Calcium sulfate

Eye damage or irritation, test

results

Method: OECD 405 Species: Rabbit

Evaluation result: Not irritating.

Assessment of eye damage or

irritation, classification

Causes serious eye damage.

**Sensitisation** The product is not classified as a respiratory or skin sensitiser.

**Mutagenicity** The product is not classified as a mutagen.

Calcium dihydroxide: In vitro (OECD 471, 473, 476 read across)

Carcinogenicity, other information The product is not classified as a carcinogen.

**Reproductive toxicity** The product is not classified as toxic to reproduction.

Assessment of specific target organ toxicity - single exposure,

classification

May cause respiratory irritation.

Assessment of specific target organ toxicity - repeated

organ toxicity - repeated exposure, classification

The product is not classified as toxic to specific target organs at repeated

exposure.

Assessment of aspiration hazard,

classification

The product is not classified as an aspiration hazard.

# Symptoms of exposure

In case of skin contact Repeated or prolonged exposure may cause skin irritation and dermatitis.

#### 11.2 Other information

**Endocrine disruption** Ingredients: no endocrine disrupting properties reported.

Other information No other health effects reported.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Substance Calcium dihydroxide

Aquatic toxicity, fish Value: 50,6 mg/l

Effect dose concentration: LC50 Test duration: 96 hour(s) Species: freshwater fish

Value: 457 mg/l

Effect dose concentration: LC50 Test duration: 96 hour(s) Species: marine water fish

Substance Calcium sulfate

Aquatic toxicity, fish Value: > 79 mg/l

Effect dose concentration: LC50

Test duration: 96 hour(s)

**Species:** Oryzias latipes **Method:** OECD 203

Comments: LIMIT-test

Substance Calcium dihydroxide

Aquatic toxicity, algae Value: 184,57 mg/l

Effect dose concentration: EC50

**Test duration:** 72 hour(s) **Species:** freshwater algae

Value: 48 mg/l

Effect dose concentration: NOEC

**Test duration:** 72 hour(s) **Species:** freshwater algae

Substance Calcium sulfate

Aquatic toxicity, algae Value: > 79 mg/l

Effect dose concentration: EC50

Test duration: 72 hour(s)

Species: Selenastrum capricornutum

Method: OECD 201 Comments: LIMIT-test

Substance Calcium dihydroxide

Aquatic toxicity, crustacean Toxicity type: Chronic

Value: 32 mg/l

Effect dose concentration: NOEC

Test duration: 14 day(s)

Species: marine water invertebrates

Value: 49,1 mg/l

Effect dose concentration: EC50 Test duration: 48 hour(s)

**Species:** freshwater invertebrates

Value: 158 mg/l

Effect dose concentration: LC50 Test duration: 96 hour(s)

Species: marine water invertebrates

Substance Calcium sulfate

Aquatic toxicity, crustacean Value: > 79 mg/l

Effect dose concentration: EC50

Test duration: 48 hour(s)
Species: Daphnia magna
Method: OECD 202
Comments: LIMIT-test

Substance Calcium dihydroxide

Toxicity to earthworm Value: 2000 mg/kg

**Species:** macro organisms **Method:** soil dry weight

Substance Calcium dihydroxide

Toxicity to soil microorganisms Value: 12000 mg/kg

**Species:** microorganisms **Method:** soil dry weight

Plant toxicity Value: 1080 mg/kg

Effect dose concentration: NOEC

Test duration: 21 day(s)

Comments: calcium dihydroxide

Impact on sewage treatment Comments: Calcium dihydroxide: At high concentration, through the rise of

temperature and pH, the product is used for disinfection of sewage sludges.

Substance Calcium sulfate

Impact on sewage treatment Value: > 790 mg/l

Effect dose concentration: EC50

**Test duration:** 3 hour(s) **Species:** Activated sludge **Method:** OECD 209

**Ecotoxicity** The product may affect the acidity (pH-factor) in water with risk of harmful

effects to aquatic organisms.

# 12.2. Persistence and degradability

Persistence and degradability description/evaluation

Not relevant for inorganic substances.

#### 12.3. Bioaccumulative potential

**Bioaccumulation, evaluation** Not relevant for inorganic substances.

12.4. Mobility in soil

Mobility Calcium dihydroxide: The product is sparingly soluble, presents a low mobility in

most soils.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

Not relevant for inorganic substances.

# 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** Ingredients: no endocrine disrupting properties reported.

# 12.7. Other adverse effects

Additional ecological information The product is not classified as hazardous to the environment. Prevent entry into

drains, sewers, waterways or soil.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Appropriate methods of disposal

for the chemical

Other information

Avoid release to the environment.

Appropriate methods of disposal

for the contaminated packaging

The used packaging is only meant for packing this product; it should not be reused for other purposes. After usage, empty the packing completely.

Processing, use or contamination of this product may change the waste

management options.

Dispose of in compliance with local and national regulations.

# **SECTION 14: Transport information**

**Dangerous goods** 

No

#### 14.1. UN number

Comments

The product is not classified for transportation.

# 14.2. UN proper shipping name

# 14.3. Transport hazard class(es)

# 14.4. Packing group

#### 14.5. Environmental hazards

**IMDG Marine pollutant** 

Comments The product is not classified as hazardous to the environment.

# 14.6. Special precautions for user

Special safety precautions for

user

Avoid any release of dust during transportation by using air-tight tanks.

# 14.7. Maritime transport in bulk according to IMO instruments

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

**Restriction of chemicals** 

Entry: 47 Chromium VI compounds

according to Annex XVII (REACH)

#### 15.2. Chemical safety assessment

**Chemical safety assessment** Has been carried out for calcium dihydroxide.

# SECTION 16: Other information

List of relevant H-phrases

(Section 2 and 3)

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Training advice

Read safety data sheet.

Key literature references and

sources for data

Previous version of the SDS 05.03.2019.

EULA Safety Data Sheet for Calcium dihydroxide (v. 4.0/EN, December 2020)

EH40/2005 Workplace exposure limits (4th ed, 2020)

Decree on Concentrations known to be Hazardous 654/2020 (HTP-arvot 2020),

Finland

Abbreviations and acronyms used

**DNEL: Derived No-Effect Level** 

EC50: Effective concentration: concentration which kills or immobilises 50 % of

exposed organisms

LC50: Lethal concentration 50 % (median lethal concentration): concentration

which kills 50 % of exposed organisms

LD50: Lethal dose 50 % (median lethal dose): dose which kills 50 % of exposed

organisms

NOEC: No Observed Effect Concentration: concentration at which no effects are

observed

OEL: Occupational exposure limit

PNEC: Predicted No-Effect Concentration

STEL: Short-term exposure limit. TWA: Time-weighted average

Information added, deleted or revised

5.3.2019: The following sections have been revised:

1.3 Contact information

2.1 Classification of the substance or mixture

2.2 Labeling

3.2 Mixtures

8.1 Control parameters16 Other Information

22.12.2022: Update according to Annex II of the REACH Regulation ([EU] 2020/878). Added exposure limit values (section 8.1). Changes to sections: 2.2, 2.3, 7.

1, 8.1, 8.2, 9.1, 10.1, 13.1, 14.5, 14.6, 16

Last update date

7.11.2024

Version

2

Comments

Disclaimer

This safety data sheet (SDS) is based on the legal provisions of the REACH Regulation (EC 1907/2006; article 31 and Annex II), as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. Information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date of issue indicated. It should not be construed as any guarantee of technical performance, suitability for particular applications, and does not establish a legally valid contractual relationship. This version of the SDS supersedes all previous versions.